

# Package ‘constructive’

November 13, 2023

**Title** Display Idiomatic Code to Construct Most R Objects

**Version** 0.2.0

**Description** Prints code that can be used to recreate R objects. In a sense it is similar to 'base::dput()' or 'base::deparse()' but 'constructive' strives to use idiomatic constructors.

**License** MIT + file LICENSE

**URL** <https://github.com/cynkra/constructive>,  
<https://cynkra.github.io/constructive/>

**BugReports** <https://github.com/cynkra/constructive/issues>

**Imports** cli, diffobj, ellipsis, methods, rlang (>= 1.0.0), roxygen2, waldo

**Suggests** data.table, DiagrammeR, DiagrammeRsvg, dm, dplyr, forcats, ggplot2, knitr, lubridate, pixarfilms, prettycode, rmarkdown, scales, sf, testthat (>= 3.0.0), tibble, tidyselect, vctrs, withr

**VignetteBuilder** knitr

**Config/testthat/edition** 3

**Encoding** UTF-8

**RoxygenNote** 7.2.3

**NeedsCompilation** yes

**Author** Antoine Fabri [aut, cre]

**Maintainer** Antoine Fabri <antoine.fabri@gmail.com>

**Repository** CRAN

**Date/Publication** 2023-11-13 17:33:24 UTC

## R topics documented:

.cstr_apply . . . . .	3
.cstr_combine_errors . . . . .	4

<a href="#">.ctr_construct</a>	6
<a href="#">.ctr_fetch_opts</a>	6
<a href="#">.ctr_match_constructor</a>	7
<a href="#">.ctr_options</a>	7
<a href="#">.ctr_pipe</a>	8
<a href="#">.ctr_register_constructors</a>	8
<a href="#">.ctr_repair_attributes</a>	9
<a href="#">.ctr_wrap</a>	10
<a href="#">.env</a>	10
<a href="#">.xptr</a>	11
<a href="#">compare_options</a>	11
<a href="#">construct</a>	12
<a href="#">constructors</a>	15
<a href="#">construct_diff</a>	15
<a href="#">construct_dump</a>	17
<a href="#">construct_issues</a>	17
<a href="#">construct_signature</a>	18
<a href="#">custom-constructors</a>	18
<a href="#">deparse_call</a>	19
<a href="#">opts_array</a>	20
<a href="#">opts_AsIs</a>	20
<a href="#">opts_atomic</a>	21
<a href="#">opts_classGeneratorFunction</a>	23
<a href="#">opts_classPrototypeDef</a>	23
<a href="#">opts_classRepresentation</a>	24
<a href="#">opts_constructive_options</a>	24
<a href="#">opts_data.frame</a>	25
<a href="#">opts_data.table</a>	26
<a href="#">opts_Date</a>	27
<a href="#">opts_dm</a>	28
<a href="#">opts_dots</a>	28
<a href="#">opts_environment</a>	29
<a href="#">opts_externalptr</a>	31
<a href="#">opts_factor</a>	32
<a href="#">opts_formula</a>	33
<a href="#">opts_function</a>	34
<a href="#">opts_grouped_df</a>	35
<a href="#">opts_language</a>	35
<a href="#">opts_Layer</a>	36
<a href="#">opts_list</a>	37
<a href="#">opts_matrix</a>	38
<a href="#">opts_mts</a>	39
<a href="#">opts_numeric_version</a>	39
<a href="#">opts_ordered</a>	40
<a href="#">opts_package_version</a>	41
<a href="#">opts_pairlist</a>	41
<a href="#">opts_POSIXct</a>	42
<a href="#">opts_POSIXlt</a>	43

*.cstr\_apply* 3

opts_quosure . . . . .	43
opts_quosures . . . . .	44
opts_rowwise_df . . . . .	45
opts_R_system_version . . . . .	45
opts_S4 . . . . .	46
opts_tbl_df . . . . .	46
opts_ts . . . . .	47
opts_vctrs_list_of . . . . .	48
opts_weakref . . . . .	48

**Index** 50

---

<i>.cstr_apply</i>	<i>.cstr_apply</i>
--------------------	--------------------

---

### Description

Exported for custom constructor design. If recurse is TRUE (default), we recurse to construct args and insert their construction code in a fun(...) call returned as a character vector. If args already contains code rather than object to construct one should set recurse to FALSE.

### Usage

```
.cstr_apply(  
  args,  
  fun = "list",  
  ...,  
  trailing_comma = FALSE,  
  recurse = TRUE,  
  implicit_names = FALSE,  
  new_line = TRUE,  
  one_liner = FALSE  
)
```

### Arguments

args	A list of arguments to construct recursively, or code if recurse = FALSE. If elements are named, the arguments will be named in the generated code.
fun	The function name to use to build code of the form "fun(...)"
...	options passed recursively to the further methods
trailing_comma	leave a trailing comma after the last argument if the code is multiline, some constructors allow it (e.g. tibble::tibble()) and it makes for nicer diffs in version control.
recurse	Whether to recursively generate the code to construct args. If FALSE arguments are expected to contain code.
implicit_names	When data is provided, compress calls of the form f(a = a) to f(a)

`new_line`        passed to wrap to remove add a line after "fun(" and before ")", forced to FALSE if `one_liner` is TRUE

`one_liner`       Whether to return a one line call.

**Value**

A character vector of code

**Examples**

```
a <- 1
.cstr_apply(list(a=a), "foo")
.cstr_apply(list(a=a), "foo", data = list(a=1))
.cstr_apply(list(a=a), "foo", data = list(a=1), implicit_names = TRUE)
.cstr_apply(list(b=a), "foo", data = list(a=1), implicit_names = TRUE)
.cstr_apply(list(a="c(1,2)"), "foo")
.cstr_apply(list(a="c(1,2)"), "foo", recurse = FALSE)
```

---

`.cstr_combine_errors`    *Combine errors*

---

**Description**

Exported for custom constructor design. This function allows combining independent checks so information is given about all failing checks rather than the first one. All parameters except ... are forwarded to `rlang::abort()`

**Usage**

```
.cstr_combine_errors(
  ...,
  class = NULL,
  call,
  header = NULL,
  body = NULL,
  footer = NULL,
  trace = NULL,
  parent = NULL,
  use_cli_format = NULL,
  .internal = FALSE,
  .file = NULL,
  .frame = parent.frame(),
  .trace_bottom = NULL
)
```

## Arguments

...	check expressions
class	Subclass of the condition.
call	<p>The execution environment of a currently running function, e.g. <code>call = caller_env()</code>. The corresponding function call is retrieved and mentioned in error messages as the source of the error.</p> <p>You only need to supply <code>call</code> when throwing a condition from a helper function which wouldn't be relevant to mention in the message.</p> <p>Can also be <code>NULL</code> or a <a href="#">defused function call</a> to respectively not display any call or hard-code a code to display.</p> <p>For more information about error calls, see <a href="#">Including function calls in error messages</a>.</p>
header	An optional header to precede the errors
body, footer	Additional bullets.
trace	A trace object created by <a href="#">trace_back()</a> .
parent	<p>Supply <code>parent</code> when you rethrow an error from a condition handler (e.g. with <a href="#">try_fetch()</a>).</p> <ul style="list-style-type: none"><li>• If <code>parent</code> is a condition object, a <i>chained error</i> is created, which is useful when you want to enhance an error with more details, while still retaining the original information.</li><li>• If <code>parent</code> is <code>NA</code>, it indicates an unchained rethrow, which is useful when you want to take ownership over an error and rethrow it with a custom message that better fits the surrounding context.</li></ul> <p>Technically, supplying <code>NA</code> lets <code>abort()</code> know it is called from a condition handler. This helps it create simpler backtraces where the condition handling context is hidden by default.</p> <p>For more information about error calls, see <a href="#">Including contextual information with error chains</a>.</p>
use_cli_format	<p>Whether to format message lazily using <code>cli</code> if available. This results in prettier and more accurate formatting of messages. See <a href="#">local_use_cli()</a> to set this condition field by default in your package namespace.</p> <p>If set to <code>TRUE</code>, message should be a character vector of individual and unformatted lines. Any newline character <code>"\n"</code> already present in message is reformatted by <code>cli</code>'s paragraph formatter. See <a href="#">Formatting messages with cli</a>.</p>
.internal	If <code>TRUE</code> , a footer bullet is added to message to let the user know that the error is internal and that they should report it to the package authors. This argument is incompatible with <code>footer</code> .
.file	A connection or a string specifying where to print the message. The default depends on the context, see the <code>stdout</code> vs <code>stderr</code> section.
.frame	The throwing context. Used as default for <code>.trace_bottom</code> , and to determine the internal package to mention in internal errors when <code>.internal</code> is <code>TRUE</code> .
.trace_bottom	Used in the display of simplified backtraces as the last relevant call frame to show. This way, the irrelevant parts of backtraces corresponding to condition

handling (`tryCatch()`, `try_fetch()`, `abort()`, etc.) are hidden by default. Defaults to `call` if it is an environment, or `.frame` otherwise. Without effect if `trace` is supplied.

### Value

Returns `NULL` invisibly, called for side effects.

---

<code>.cstr_construct</code>	<i>Generic for object code generation</i>
------------------------------	---

---

### Description

Exported for custom constructor design. `.cstr_construct()` is basically a naked `construct()`, without the checks, the style, the object post processing etc...

### Usage

```
.cstr_construct(x, ..., data = NULL)
```

### Arguments

<code>x</code>	An object, for <code>construct_multi()</code> a named list or an environment.
<code>...</code>	Constructive options built with the <code>opts_*</code> () family of functions. See the "Constructive options" section below.
<code>data</code>	Named list or environment of objects we want to detect and mention by name (as opposed to deparsing them further). Can also contain unnamed nested lists, environments, or package names, in the latter case package exports and datasets will be considered. In case of conflict, the last provided name is considered.

### Value

A character vector

---

<code>.cstr_fetch_opts</code>	<i>Fetch constructive options</i>
-------------------------------	-----------------------------------

---

### Description

Exported for custom constructor design.

### Usage

```
.cstr_fetch_opts(class, ..., template = NULL)
```

**Arguments**

class	A string. An S3 class.
..., template	Parameters generally forwarded through the dots of the caller function

**Value**

An object of class c(paste0("constructive\_options\_", class), "constructive\_options")

---

.cstr\_match\_constructor *Validate a constructor*

---

**Description**

Fails if the chosen constructor doesn't exist.

**Usage**

.cstr\_match\_constructor(constructor, class)

**Arguments**

constructor	a String (or character vector but only the first item will be considered)
class	A string

**Value**

A string, the first value of constructor if it is the name of a n existing constructor or "next".

---

.cstr\_options *Create constructive options*

---

**Description**

Exported for custom constructor design.

**Usage**

.cstr\_options(class, ...)

**Arguments**

class	A string. An S3 class.
...	Options to set

**Value**

An object of class c(paste0("constructive\_options\_", class), "constructive\_options")

---

`.cstr_pipe` *Insert a pipe between two calls*

---

**Description**

Exported for custom constructor design.

**Usage**

```
.cstr_pipe(x, y, pipe, one_liner, indent = TRUE)
```

**Arguments**

<code>x</code>	A character vector. The code for the left hand side call.
<code>y</code>	A character vector. The code for the right hand side call.
<code>pipe</code>	A string. The pipe to use, "plus" is useful for ggplot code.
<code>one_liner</code>	A boolean. Whether to paste x, the pipe and y together
<code>indent</code>	A boolean. Whether to indent y on a same line (provided that x and y are strings and one liners themselves)

**Value**

A character vector

**Examples**

```
.cstr_pipe("iris", "head(2)", pipe = "magrittr", one_liner = FALSE)
.cstr_pipe("iris", "head(2)", pipe = "magrittr", one_liner = TRUE)
```

---

`.cstr_register_constructors`  
*Register constructors*

---

**Description**

Use this function to register a custom constructor. See vignette for more information.

**Usage**

```
.cstr_register_constructors(class, ...)
```

**Arguments**

<code>class</code>	A string
<code>...</code>	named constructors



**Value**

Returns NULL invisibly, called for side effects.

---

.cstr\_repair\_attributes

*Repair attributes after idiomatic construction*

---

**Description**

Exported for custom constructor design. In the general case an object might have more attributes than given by the idiomatic construction. .cstr\_repair\_attributes() sets some of those attributes and ignores others.

**Usage**

```
.cstr_repair_attributes(  
  x,  
  code,  
  ...,  
  pipe = NULL,  
  ignore = NULL,  
  idiomatic_class = NULL,  
  remove = NULL,  
  one_liner = FALSE  
)
```

**Arguments**

x	The object to construct
code	The code constructing the object before attribute reparation
...	Forwarded to .construct_apply() when relevant
pipe	Which pipe to use, either "base" or "magrittr". Defaults to "base" for R >= 4.2, otherwise to "magrittr".
ignore	The attributes that shouldn't be repaired, i.e. we expect them to be set by the constructor already in code
idiomatic_class	The class of the objects that the constructor produces, if x is of class idiomatic_class there is no need to repair the class.
remove	Attributes that should be removed, should rarely be useful.
one_liner	Boolean. Whether to collapse the output to a single line of code.

**Value**

A character vector

---

<code>.cstr_wrap</code>	<i>Wrap argument code in function call</i>
-------------------------	--

---

**Description**

Exported for custom constructor design. Generally called through `.cstr_apply()`.

**Usage**

```
.cstr_wrap(args, fun, new_line = FALSE)
```

**Arguments**

<code>args</code>	A character vector containing the code of arguments.
<code>fun</code>	A string. The name of the function to use in the function call. Use <code>fun = ""</code> to wrap in parentheses.
<code>new_line</code>	Boolean. Whether to insert a new line between <code>"fun("</code> and the closing <code>)"</code> .

**Value**

A character vector.

---

<code>.env</code>	<i>Fetch environment from memory address</i>
-------------------	--

---

**Description**

This is designed to be used in constructed output. The `parents` and `...` arguments are not processed and only used to display additional information. If used on an improper memory address the output might be erratic or the session might crash.

**Usage**

```
.env(address, parents = NULL, ...)
```

**Arguments**

<code>address</code>	Memory address of the environment
<code>parents, ...</code>	ignored

**Value**

The environment that the memory address points to.

---

.xptr *Build a pointer from a memory address*

---

### Description

Base R doesn't provide utilities to build or manipulate external pointers (objects of type "externalptr"), so we provide our own. Be warned that objects defined with `.xptr()` are not stable across sessions, however this is the best we can

### Usage

```
.xptr(address)
```

### Arguments

address            Memory address

### Value

The external pointer (type "externalptr") that the memory address points to.

---

compare\_options    *Options for waldo::compare*

---

### Description

Builds options that will be passed to `waldo::compare()` down the line.

### Usage

```
compare_options(  
  ignore_srcref = TRUE,  
  ignore_attr = FALSE,  
  ignore_function_env = FALSE,  
  ignore_formula_env = FALSE  
)
```

### Arguments

ignore\_srcref    Ignore differences in function srcrefs? TRUE by default since the srcref does not change the behaviour of a function, only its printed representation.

- `ignore_attr` Ignore differences in specified attributes? Supply a character vector to ignore differences in named attributes. By default the "waldo\_opts" attribute is listed in `ignore_attr` so that changes to it are not reported; if you customize `ignore_attr`, you will probably want to do this yourself.
- For backward compatibility with `all.equal()`, you can also use `TRUE`, to all ignore differences in all attributes. This is not generally recommended as it is a blunt tool that will ignore many important functional differences.
- `ignore_function_env, ignore_formula_env` Ignore the environments of functions and formulas, respectively? These are provided primarily for backward compatibility with `all.equal()` which always ignores these environments.

**Value**

A list

---

construct	<i>Build code to recreate an object</i>
-----------	---

---

**Description**

`construct()` builds the code to reproduce one object, `construct_multi()` builds the code to reproduce objects stored in a named list or environment.

**Usage**

```
construct(
  x,
  ...,
  data = NULL,
  pipe = NULL,
  check = NULL,
  compare = compare_options(),
  one_liner = FALSE,
  template = getOption("constructive_opts_template")
)

construct_multi(
  x,
  ...,
  data = NULL,
  pipe = NULL,
  check = NULL,
  compare = compare_options(),
  one_liner = FALSE,
  template = getOption("constructive_opts_template")
)
```

**Arguments**

<code>x</code>	An object, for <code>construct_multi()</code> a named list or an environment.
<code>...</code>	Constructive options built with the <code>opts_*</code> () family of functions. See the "Constructive options" section below.
<code>data</code>	Named list or environment of objects we want to detect and mention by name (as opposed to deparsing them further). Can also contain unnamed nested lists, environments, or package names, in the latter case package exports and datasets will be considered. In case of conflict, the last provided name is considered.
<code>pipe</code>	Which pipe to use, either "base" or "magrittr". Defaults to "base" for R >= 4.2, otherwise to "magrittr".
<code>check</code>	Boolean. Whether to check if the created code reproduces the object using <code>waldo::compare()</code> .
<code>compare</code>	Parameters passed to <code>waldo::compare()</code> , built with <code>compare_options()</code> .
<code>one_liner</code>	Boolean. Whether to collapse the output to a single line of code.
<code>template</code>	A list of constructive options built with <code>opts_*</code> () functions, they will be overridden by <code>...</code> . Use it to set a default behavior for {constructive}.

**Value**

An object of class 'constructive'.

**Constructive options**

Constructive options provide a way to customize the output of `'construct()'`. We can provide calls to `'opts_*`()' functions to the `'...'` argument. Each of these functions targets a specific type or class and is documented on its own page.

- `opts_array`(constructor = c("array", "next"), ...)
- `opts_AsIs`(constructor = c("I", "next", "atomic"), ...)
- `opts_atomic`(..., trim = NULL, fill = c("default", "rlang", "+", "...", "none"), compress = TRUE, unicode\_representation = c("ascii", "latin", "character", "unicode"), escape = FALSE)
- `opts_classGeneratorFunction`(constructor = c("setClass"), ...)
- `opts_classPrototypeDef`(constructor = c("prototype"), ...)
- `opts_classRepresentation`(constructor = c("getClassDef"), ...)
- `opts_constructive_options`(constructor = c("opts", "next"), ...)
- `opts_data.frame`(constructor = c("data.frame", "read.table", "next", "list"), ...)
- `opts_data.table`(constructor = c("data.table", "next", "list"), ..., selfref = FALSE)
- `opts_Date`(constructor = c("as.Date", "as\_date", "date", "new\_date", "as.Date.numeric", "as\_date.numeric", "next", "atomic"), ..., origin = "1970-01-01")
- `opts_dm`(constructor = c("dm", "next", "list"), ...)
- `opts_dots`(constructor = c("default"), ...)

- `opts_environment`(constructor = c(".env", "list2env", "as.environment", "new.env", "topenv", "new\_environment"), ..., recurse = FALSE, predefine = FALSE)
- `opts_externalptr`(constructor = c("default"), ...)
- `opts_factor`(constructor = c("factor", "as\_factor", "new\_factor", "next", "atomic"), ...)
- `opts_formula`(constructor = c("~", "formula", "as.formula", "new\_formula"), ..., environment = TRUE)
- `opts_function`(constructor = c("function", "as.function", "new\_function"), ..., environment = TRUE, srcref = FALSE, trim = NULL)
- `opts_grouped_df`(constructor = c("default", "next", "list"), ...)
- `opts_language`(constructor = c("default"), ...)
- `opts_Layer`(constructor = c("default", "layer", "environment"), ...)
- `opts_list`(constructor = c("list", "list2"), ..., trim = NULL, fill = c("vector", "new\_list", "+", "...", "none"))
- `opts_matrix`(constructor = c("matrix", "array", "next", "atomic"), ...)
- `opts_mts`(constructor = c("ts", "next", "atomic"), ...)
- `opts_numeric_version`(constructor = c("numeric\_version", "next", "atomic"), ...)
- `opts_ordered`(constructor = c("ordered", "factor", "new\_ordered", "next", "atomic"), ...)
- `opts_package_version`(constructor = c("package\_version", "next", "atomic"), ...)
- `opts_pairlist`(constructor = c("pairlist", "pairlist2"), ...)
- `opts_POSIXct`(constructor = c("as.POSIXct", ".POSIXct", "as\_datetime", "as.POSIXct.numeric", "as\_datetime.numeric", "next", "atomic"), ..., origin = "1970-01-01")
- `opts_POSIXlt`(constructor = c("as.POSIXlt", "next", "list"), ...)
- `opts_quosure`(constructor = c("new\_quosure", "next", "language"), ...)
- `opts_quosures`(constructor = c("new\_quosures", "next", "list"), ...)
- `opts_R_system_version`(constructor = c("R\_system\_version", "next", "atomic"), ...)
- `opts_rowwise_df`(constructor = c("default", "next", "list"), ...)
- `opts_S4`(constructor = c("new"), ...)
- `opts_tbl_df`(constructor = c("tibble", "tribble", "next", "list"), ..., trailing\_comma = TRUE)
- `opts_ts`(constructor = c("ts", "next", "atomic"), ...)
- `opts_vctrs_list_of`(constructor = c("list\_of", "list"), ...)
- `opts_weakref`(constructor = c("new\_weakref"), ...)

## Examples

```
construct(head(cars))
construct(head(cars), opts_data.frame("read.table"))
construct(head(cars), opts_data.frame("next"))
construct(iris$Species)
construct(iris$Species, opts_atomic(compress = FALSE), opts_factor("new_factor"))
```

---

constructors	<i>constructors</i>
--------------	---------------------

---

**Description**

A nested environment containing constructor functions for the package **constructive**

**Usage**

```
constructors
```

**Format**

An object of class environment of length 36.

---

construct_diff	<i>Display diff of object definitions</i>
----------------	---

---

**Description**

Display diff of object definitions

**Usage**

```
construct_diff(
  target,
  current,
  ...,
  data = NULL,
  pipe = NULL,
  check = TRUE,
  compare = compare_options(),
  one_liner = FALSE,
  template = getOption("constructive_opts_template"),
  mode = c("sidebyside", "auto", "unified", "context"),
  interactive = TRUE
)
```

**Arguments**

target	the reference object
current	the object being compared to target
...	Constructive options built with the <code>opts_*</code> ( <code>)</code> family of functions. See the "Constructive options" section below.

data	Named list or environment of objects we want to detect and mention by name (as opposed to departing them further). Can also contain unnamed nested lists, environments, or package names, in the latter case package exports and datasets will be considered. In case of conflict, the last provided name is considered.
pipe	Which pipe to use, either "base" or "magrittr". Defaults to "base" for R >= 4.2, otherwise to "magrittr".
check	Boolean. Whether to check if the created code reproduces the object using <code>waldo::compare()</code> .
compare	Parameters passed to <code>waldo::compare()</code> , built with <code>compare_options()</code> .
one_liner	Boolean. Whether to collapse the output to a single line of code.
template	A list of constructive options built with <code>opts_*()</code> functions, they will be overridden by ... Use it to set a default behavior for {constructive}.
mode, interactive	passed to <code>diffobj::diffChr()</code>

## Value

Returns NULL invisibly, called for side effects

## Examples

```
## Not run:
# some object print the same though they're different
# `construct_diff()` shows how they differ :
df1 <- data.frame(a=1, b = "x")
df2 <- data.frame(a=1L, b = "x", stringsAsFactors = TRUE)
attr(df2, "some_attribute") <- "a value"
df1
df2
construct_diff(df1, df2)

# Those are made easy to compare
construct_diff(substr, substring)
construct_diff(month.abb, month.name)

# more examples borrowed from {waldo} package
construct_diff(c("a", "b", "c"), c("a", "B", "c"))
construct_diff(c("X", letters), c(letters, "X"))
construct_diff(list(factor("x")), list(1L))
construct_diff(df1, df2)
x <- list(a = list(b = list(c = list(structure(1, e = 1))))))
y <- list(a = list(b = list(c = list(structure(1, e = "a")))))
construct_diff(x, y)

## End(Not run)
```



---

construct_dump	<i>Dump Constructed Code to a File</i>
----------------	--

---

**Description**

An alternative to `base::dump()` using code built with **constructive**.

**Usage**

```
construct_dump(x, path, append = FALSE, ...)
```

**Arguments**

x	A named list or an environment.
path	File or connection to write to.
append	If FALSE, will overwrite existing file. If TRUE, will append to existing file. In both cases, if the file does not exist a new file is created.
...	Forwarded to <code>construct_multi()</code>

**Value**

Returns NULL invisibly, called for side effects.

---

construct_issues	<i>Show constructive issues</i>
------------------	---------------------------------

---

**Description**

Show constructive issues

**Usage**

```
construct_issues(x = NULL)
```

**Arguments**

x	An object built by <code>construct()</code> , if NULL the latest encountered issues will be displayed
---	---

**Value**

A character vector with class "waldo\_compare"

---

`construct_signature`    *Construct a function's signature*

---

### Description

Construct a function's signature

### Usage

```
construct_signature(x, name = NULL, one_liner = FALSE, style = TRUE)
```

### Arguments

<code>x</code>	A function
<code>name</code>	The name of the function, by default we use the symbol provided to <code>x</code>
<code>one_liner</code>	Boolean. Whether to collapse multi-line expressions on a single line using semi-colons
<code>style</code>	Boolean. Whether to give a class "constructive_code" on the output for pretty printing.

### Value

a string or a character vector, with a class "constructive\_code" for pretty printing if `style` is TRUE

### Examples

```
construct_signature(lm)
```

---

`custom-constructors`    *Custom constructors*

---

### Description

We export a collection of functions that can be used to design custom methods for `.cstr_construct()` or custom constructors for a given method.

### Details

- `.cstr_construct` : Low level generic for object construction code generation
- `.cstr_repair_attributes` : Helper to repair attributes of objects
- `.cstr_options` : Define and check options to pass to custom constructors
- `.cstr_fetch_opts`
- `.cstr_apply`
- `.cstr_wrap`
- `.cstr_pipe`
- `.cstr_combine_errors`

---

deparse_call	<i>Deparse a language object</i>
--------------	----------------------------------

---

### Description

This is an alternative to `base::deparse()` and `rlang::expr_deparse()` that handles additional corner cases and fails when encountering tokens other than symbols and syntactic literals where cited alternatives would produce non syntactic code.

### Usage

```
deparse_call(
  call,
  one_liner = FALSE,
  pipe = FALSE,
  style = TRUE,
  collapse = !style
)
```

### Arguments

<code>call</code>	A call
<code>one_liner</code>	Boolean. Whether to collapse multi-line expressions on a single line using semi-colons
<code>pipe</code>	Boolean. Whether to use the base pipe to disentangle nested calls. This works best on simple calls.
<code>style</code>	Boolean. Whether to give a class "constructive_code" on the output for pretty printing.
<code>collapse</code>	Boolean. Whether to collapse the output to a single string, won't be directly visible if <code>style</code> is TRUE

### Value

a string or a character vector, with a class "constructive\_code" for pretty printing if `style` is TRUE

### Examples

```
expr <- quote(foo(bar({this; that}, 1)))
deparse_call(expr)
deparse_call(expr, one_liner = TRUE)
deparse_call(expr, pipe = TRUE)
deparse_call(expr, style = FALSE)
# some corner cases are handled better than in base R
deparse(call("$", 1, 1)) # returns non syntactic output
deparse_call(call("$", 1, 1))
```

---

opts\_array                      *Constructive options for arrays*

---

### Description

These options will be used on arrays. Note that arrays can be built on top of vectors, lists or expressions. Canonical arrays have an implicit class "array" shown by `class()` but "array" is not part of the class attribute.

### Usage

```
opts_array(constructor = c("array", "next"), ...)
```

### Arguments

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.

### Details

Depending on constructor, we construct the object as follows:

- "array" (default): Use the `array()` function
- "next" : Use the constructor for the next supported class. Call `.class2()` on the object to see in which order the methods will be tried.

### Value

An object of class <constructive\_options/constructive\_options\_array>

---

opts\_AsIs                      *Constructive options for the class AsIs*

---

### Description

These options will be used on objects of class `AsIs`. `AsIs` objects are created with `I()` which only prepends "AsIs" to the class attribute.

### Usage

```
opts_AsIs(constructor = c("I", "next", "atomic"), ...)
```

**Arguments**

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.

**Details**

Depending on constructor, we construct the object as follows:

- "I" (default): Use the I() function
- "next" : Use the constructor for the next supported class. Call .class2() on the object to see in which order the methods will be tried.
- "atomic" : We define as an atomic vector and repair attributes

**Value**

An object of class <constructive\_options/constructive\_options\_array>

---

 opts\_atomic

*Constructive options for atomic types*


---

**Description**

These options will be used on atomic types ("logical", "integer", "numeric", "complex", "character" and "raw")

**Usage**

```
opts_atomic(
  ...,
  trim = NULL,
  fill = c("default", "rlang", "+", "...", "none"),
  compress = TRUE,
  unicode_representation = c("ascii", "latin", "character", "unicode"),
  escape = FALSE
)
```

**Arguments**

...	Should not be used. Forces passing arguments by name.
trim	NULL or integerish. Maximum of elements showed before it's trimmed. Note that it will necessarily produce code that doesn't reproduce the input. This code will parse without failure but its evaluation might fail.
fill	String. Method to use to represent the trimmed elements.

compress	Boolean. If TRUE instead of c() Use seq(), rep(), or atomic constructors logical(), integer(), numeric(), complex(), raw() when relevant to simplify the output.
unicode_representation	By default "ascii", which means only ASCII characters (code point < 128) will be used to construct a string. This makes sure that homoglyphs (different spaces and other identically displayed unicode characters) are printed differently, and avoid possible unfortunate copy and paste auto conversion issues. "latin" is more lax and uses all latin characters (code point < 256). "character" shows all characters, but not emojis. Finally "unicode" displays all characters and emojis, which is what dput() does.
escape	Whether to escape double quotes and backslashes. If FALSE we use single quotes to surround strings containing double quotes, and raw strings for strings that contain backslashes and/or a combination of single and double quotes. Depending on unicode_representation escape = FALSE cannot be applied on all strings.

### Details

If trim is provided, depending on fill we will present trimmed elements as followed:

- "default" : Use default atomic constructors, so for instance c("a", "b", "c") might become c("a", character(2)).
- "rlang" : Use rlang atomic constructors, so for instance c("a", "b", "c") might become c("a", rlang::new\_character(2)), these rlang constructors create vectors of NAs, so it's different from the default option.
- "+": Use unary +, so for instance c("a", "b", "c") might become c("a", +2).
- "...": Use ..., so for instance c("a", "b", "c") might become c("a", ...)
- "none": Don't represent trimmed elements.

Depending on the case some or all of the choices above might generate code that cannot be executed. The 2 former options above are the most likely to succeed and produce an output of the same type and dimensions recursively. This would at least be the case for data frame.

### Value

An object of class <constructive\_options/constructive\_options\_atomic>

### Examples

```
construct(iris, opts_atomic(trim = 2), check = FALSE) # fill = "default"
construct(iris, opts_atomic(trim = 2, fill = "rlang"), check = FALSE)
construct(iris, opts_atomic(trim = 2, fill = "+"), check = FALSE)
construct(iris, opts_atomic(trim = 2, fill = "..."), check = FALSE)
construct(iris, opts_atomic(trim = 2, fill = "none"), check = FALSE)
construct(iris, opts_atomic(trim = 2, fill = "none"), check = FALSE)
x <- c("a a", "a\u000000A0a", "a\u000002002a", "\u430 \u430")
construct(x, opts_atomic(unicode_representation = "unicode"))
construct(x, opts_atomic(unicode_representation = "character"))
construct(x, opts_atomic(unicode_representation = "latin"))
construct(x, opts_atomic(unicode_representation = "ascii"))
```

---

opts\_classGeneratorFunction  
*Constructive options for class 'classGeneratorFunction'*

---

**Description**

These options will be used on objects of class 'classGeneratorFunction'.

**Usage**

```
opts_classGeneratorFunction(constructor = c("setClass"), ...)
```

**Arguments**

constructor	String. Name of the function used to construct the object.
...	Should not be used. Forces passing arguments by name.

**Value**

An object of class <constructive\_options/constructive\_options\_classGeneratorFunction>

---

opts\_classPrototypeDef  
*Constructive options for class 'classPrototypeDef'*

---

**Description**

These options will be used on objects of class 'classPrototypeDef'.

**Usage**

```
opts_classPrototypeDef(constructor = c("prototype"), ...)
```

**Arguments**

constructor	String. Name of the function used to construct the object, see Details section.
...	Should not be used. Forces passing arguments by name.

**Value**

An object of class <constructive\_options/constructive\_options\_classPrototypeDef>

---

 opts\_classRepresentation

*Constructive options for class 'classRepresentation'*


---

### Description

These options will be used on objects of class 'classRepresentation'.

### Usage

```
opts_classRepresentation(constructor = c("getClassDef"), ...)
```

### Arguments

constructor	String. Name of the function used to construct the object.
...	Should not be used. Forces passing arguments by name.

### Value

An object of class <constructive\_options/constructive\_options\_classRepresentation>

---

opts\_constructive\_options

*Constructive options for the class constructive\_options*


---

### Description

These options will be used on objects of class constructive\_options.

### Usage

```
opts_constructive_options(constructor = c("opts", "next"), ...)
```

### Arguments

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.

### Details

Depending on constructor, we construct the object as follows:

- "opts" : Use the relevant constructive::opts\_?() function.
- "next" : Use the constructor for the next supported class. Call .class2() on the object to see in which order the methods will be tried.



**Value**

An object of class <constructive\_options/constructive\_options\_array>

---

opts_data.frame	<i>Constructive options for class 'data.frame'</i>
-----------------	--

---

**Description**

These options will be used on objects of class 'data.frame'.

**Usage**

```
opts_data.frame(
  constructor = c("data.frame", "read.table", "next", "list"),
  ...
)
```

**Arguments**

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.

**Details**

Depending on constructor, we construct the object as follows:

- "data.frame" (default): Wrap the column definitions in a data.frame() call. If some columns are lists or data frames, we wrap the column definitions in tibble::tibble(). then use as.data.frame().
- "read.table" : We build the object using read.table() if possible, or fall back to data.frame().
- "next" : Use the constructor for the next supported class. Call .class2() on the object to see in which order the methods will be tried.
- "list" : Use list() and treat the class as a regular attribute.

**Value**

An object of class <constructive\_options/constructive\_options\_data.frame>

---

opts\_data.table      *Constructive options for class 'data.table'*

---

### Description

These options will be used on objects of class 'data.table'.

### Usage

```
opts_data.table(
  constructor = c("data.table", "next", "list"),
  ...,
  selfref = FALSE
)
```

### Arguments

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.
selfref	Boolean. Whether to include the .internal.selfref attribute. It's probably not useful, hence the default, waldo::compare() is used to assess the output fidelity and doesn't check it, but if you really need to generate code that builds an object identical() to the input you'll need to set this to TRUE.

### Details

Depending on constructor, we construct the object as follows:

- "data.table" (default): Wrap the column definitions in a data.table() call.
- "next" : Use the constructor for the next supported class. Call .class2() on the object to see in which order the methods will be tried.
- "list" : Use list() and treat the class as a regular attribute.

### Value

An object of class <constructive\_options/constructive\_options\_data.table>

---

opts\_Date                      *Constructive options class 'Date'*

---

### Description

These options will be used on objects of class 'date'.

### Usage

```
opts_Date(
  constructor = c("as.Date", "as_date", "date", "new_date", "as.Date.numeric",
    "as_date.numeric", "next", "atomic"),
  ...,
  origin = "1970-01-01"
)
```

### Arguments

constructor	String. Name of the function used to construct the environment.
...	Should not be used. Forces passing arguments by name.
origin	Origin to be used, ignored when irrelevant.

### Details

Depending on constructor, we construct the environment as follows:

- "as.Date" (default): We wrap a character vector with `as.Date()`, if the date is infinite it cannot be converted to character and we wrap a numeric vector and provide an `origin` argument.
- "as\_date": Similar as above but using `lubridate::as_date()`, the only difference is that we never need to supply `origin`.
- "date": Similar as above but using `lubridate::date()`, it doesn't support infinite dates so we fall back on `lubridate::as_date()` when we encounter them.
- "new\_date": We wrap a numeric vector with `vctrs::new_date()`
- "as.Date.numeric": We wrap a numeric vector with `as.Date()` and use the provided `origin`
- "as\_date.numeric": Same as above but using `lubridate::as_date()` and use the provided `origin`
- "next": Use the constructor for the next supported class. Call `.class2()` on the object to see in which order the methods will be tried.
- "atomic": We define as an atomic vector and repair attributes

### Value

An object of class `<constructive_options/constructive_options_environment>`

---

opts\_dm                      *Constructive options class 'dm'*

---

### Description

These options will be used on objects of class 'dm'.

### Usage

```
opts_dm(constructor = c("dm", "next", "list"), ...)
```

### Arguments

constructor      String. Name of the function used to construct the environment.  
 ...                Should not be used. Forces passing arguments by name.

### Details

Depending on constructor, we construct the environment as follows:

- "dm" (default): We use `dm::dm()` and other functions from **dm** to adjust the content.
- "next" : Use the constructor for the next supported class. Call `.class2()` on the object to see in which order the methods will be tried.
- "list" : Use `list()` and treat the class as a regular attribute.

### Value

An object of class `<constructive_options/constructive_options_environment>`

---

opts\_dots                      *Constructive options for type '...'*

---

### Description

These options will be used on objects of type '...'. These are rarely encountered in practice. By default this function is useless as nothing can be set, this is provided in case users want to extend the method with other constructors.

### Usage

```
opts_dots(constructor = c("default"), ...)
```

### Arguments

constructor      String. Name of the function used to construct the environment.  
 ...                Should not be used. Forces passing arguments by name.

**Details**

Depending on constructor, we construct the environment as follows:

- "default" : We use the construct `(function(...) environment()$....)(a = x, y)` which we evaluate in the correct environment.

**Value**

An object of class `<constructive_options/constructive_options_environment>`

---

opts_environment	<i>Constructive options for type 'environment'</i>
------------------	--

---

**Description**

Environments use reference semantics, they cannot be copied. An attempt to copy an environment would indeed yield a different environment and `identical(env, copy)` would be `FALSE`.

Moreover most environments have a parent (exceptions are `emptyenv()` and some rare cases where the parent is `NULL`) and thus to copy the environment we'd have to have a way to point to the parent, or copy it too.

For this reason environments are **constructive's** cryptonite. They make some objects impossible to reproduce exactly. And since every function or formula has one they're hard to avoid.

**Usage**

```
opts_environment(
  constructor = c(".env", "list2env", "as.environment", "new.env", "topenv",
    "new_environment"),
  ...,
  recurse = FALSE,
  predefine = FALSE
)
```

**Arguments**

constructor	String. Name of the function used to construct the environment, see <b>Constructors</b> section.
...	Should not be used. Forces passing arguments by name.
recurse	Boolean. Only considered if constructor is "list2env" or "new_environment". Whether to attempt to recreate all parent environments until a known environment is found, if <code>FALSE</code> (the default) we will use <code>topenv()</code> to find a known ancestor to set as the parent.
predefine	Boolean. Whether to define environments first. If <code>TRUE</code> constructor and recurse are ignored. It circumvents the circularity, recursivity and redundancy issues of other constructors. The caveat is that the created code won't be a single call and will create objects in the workspace.

## Details

In some case we can build code that points to a specific environment, namely:

- `.GlobalEnv`, `.BaseNamespaceEnv`, `baseenv()` and `emptyenv()` are used to construct the global environment, the base namespace, the base package environment and the empty environment
- Namespaces are constructed using `asNamespace("pkg")`
- Package environments are constructed using `as.environment("package:pkg")`

By default For other environments we use **constructive**'s function `constructive::.env()`, it fetches the environment from its memory address and provides as additional information the sequence of parents until we reach a special environment (those enumerated above). The advantage of this approach is that it's readable and that the object is accurately reproduced. The inconvenient is that it's not stable between sessions. If an environment has a NULL parent it's always constructed with `constructive::.env()`, whatever the choice of the constructor.

Often however we wish to be able to reproduce from scratch a similar environment, so that we might run the constructed code later in a new session. We offer different different options to do this, with different trade-offs regarding accuracy and verbosity.

{constructive} will not signal any difference if it can reproduce an equivalent environment, defined as containing the same values and having a same or equivalent parent.

See also the `ignore_function_env` argument in `?compare_options`, which disables the check of environments of function.

## Value

An object of class `<constructive_options/constructive_options_environment>`

## Constructors

We might set the constructor argument to:

- `".env"` (default): use `constructive::.env()` to construct the environment from its memory address.
- `"list2env"`: We construct the environment as a list then use `base::list2env()` to convert it to an environment and assign it a parent. By default we will use `base::topenv()` to construct a parent. If `recurse` is `TRUE` the parent will be built recursively so all ancestors will be created until we meet a known environment, this might be verbose and will fail if environments are nested too deep or have a circular relationship. If the environment is empty we use `new.env(parent=)` for a more economic syntax.
- `"new_environment"` : Similar to the above, but using `rlang::new_environment()`.
- `"new.env"` : All environments will be recreated with the code `"base::new.env()"`, without argument, effectively creating an empty environment child of the local (often global) environment. This is enough in cases where the environment doesn't matter (or matters as long as it inherits from the local environment), as is often the case with formulas. `recurse` is ignored.

- "as.environment" : we attempt to construct the environment as a list and use `base::as.environment()` on top of it, as in `as.environment(list(a=1, b=2))`, it will contain the same variables as the original environment but the parent will be the `emptyenv()`. `recurse` is ignored.
- "topenv" : we construct `base::topenv(x)`, see `?topenv`. `recurse` is ignored. This is the most accurate we can be when constructing only special environments.

## Predefine

Building environments from scratch using the above methods can be verbose and sometimes redundant if `environment` is used several times. One last option is to define the environments and their content above the object returning call, using placeholder names `..env.1..`, `..env.2..` etc. This is done by setting `predefine` to `TRUE`. `constructor` and `recurse` are ignored in that case.

---

opts\_externalptr      *Constructive options for type 'externalptr'*

---

## Description

These options will be used on objects of type 'externalptr'. By default this function is useless as nothing can be set, this is provided in case users want to extend the method with other constructors.

## Usage

```
opts_externalptr(constructor = c("default"), ...)
```

## Arguments

`constructor`      String. Name of the function used to construct the environment.  
`...`              Should not be used. Forces passing arguments by name.

## Details

Depending on `constructor`, we construct the environment as follows:

- "default" : We use a special function from the constructive

## Value

An object of class `<constructive_options/constructive_options_environment>`

---

 opts\_factor

*Constructive options for class 'factor'*


---

### Description

These options will be used on objects of class 'factor'.

### Usage

```
opts_factor(
  constructor = c("factor", "as_factor", "new_factor", "next", "atomic"),
  ...
)
```

### Arguments

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.

### Details

Depending on constructor, we construct the environment as follows:

- "factor" (default): Build the object using `factor()`, levels won't be defined explicitly if they are in alphabetical order (locale dependent!)
- "as\_factor" : Build the object using `forcats::as_factor()` whenever possible, i.e. when levels are defined in order of appearance in the vector. Otherwise falls back to "factor" constructor.
- "new\_factor" : Build the object using `vctrs::new_factor()`. Levels are always defined explicitly.
- "next" : Use the constructor for the next supported class. Call `.class2()` on the object to see in which order the methods will be tried.
- "atomic" : We define as an atomic vector and repair attributes.

### Value

An object of class `<constructive_options/constructive_options_factor>`



---

opts_formula	<i>Constructive options for formulas</i>
--------------	--

---

## Description

These options will be used on formulas, defined as calls to `~`, regardless of their `"class"` attribute.

## Usage

```
opts_formula(
  constructor = c("~", "formula", "as.formula", "new_formula"),
  ...,
  environment = TRUE
)
```

## Arguments

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.
environment	Boolean. Whether to attempt to construct the environment, if it makes a difference to construct it.

Depending on constructor, we construct the formula as follows:

- `"~"` (default): We construct the formula in the most common way using the `~` operator.
- `"formula"`: deparse the formula as a string and use `base::formula()` on top of it.
- `"as.formula"`: Same as above, but using `base::as.formula()`.
- `"new_formula"`: extract both sides of the formula as separate language objects and feed them to `rlang::new_formula()`, along with the reconstructed environment if relevant.

## Value

An object of class `<constructive_options/constructive_options_environment>`

---

opts\_function                      *Constructive options for functions*

---

### Description

These options will be used on functions, i.e. objects of type "closure", "special" and "builtin".

### Usage

```
opts_function(
  constructor = c("function", "as.function", "new_function"),
  ...,
  environment = TRUE,
  srcref = FALSE,
  trim = NULL
)
```

### Arguments

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.
environment	Boolean. Whether to reconstruct the function's environment.
srcref	Boolean. Whether to attempt to reconstruct the function's srcref.
trim	NULL or integerish. Maximum of lines showed in the body before it's trimmed, replacing code with ... Note that it will necessarily produce code that doesn't reproduce the input, but it will parse and evaluate without failure.

### Details

Depending on constructor, we construct the environment as follows:

- "function" (default): Build the object using a standard function() {} definition. This won't set the environment by default, unless environment is set to TRUE. If a srcref is available, if this srcref matches the function's definition, and if trim is left NULL, the code is returned from using the srcref, so comments will be shown in the output of construct().
- "as.function": Build the object using a as.function() call. back to data.frame().
- "new\_function": Build the object using a rlang::new\_function() call.

### Value

An object of class <constructive\_options/constructive\_options\_function>

---

opts\_grouped\_df      *Constructive options for class 'grouped\_df'*

---

### Description

These options will be used on objects of class 'grouped\_df'.

### Usage

```
opts_grouped_df(constructor = c("default", "next", "list"), ...)
```

### Arguments

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.

### Details

Depending on constructor, we construct the environment as follows:

- "next" : Use the constructor for the next supported class. Call `.class2()` on the object to see in which order the methods will be tried.
- "list" : We define as an list object and repair attributes.

### Value

An object of class <constructive\_options/constructive\_options\_factor>

---

opts\_language      *Constructive options for type 'language'*

---

### Description

These options will be used on objects of type 'language'. By default this function is useless as nothing can be set, this is provided in case users want to extend the method with other constructors.

### Usage

```
opts_language(constructor = c("default"), ...)
```

### Arguments

constructor	String. Name of the function used to construct the environment.
...	Should not be used. Forces passing arguments by name.

**Details**

Depending on constructor, we construct the environment as follows:

- "default": We use constructive's deparsing algorithm on attributeless calls, and use `as.call()` on other language elements when attributes need to be constructed.

**Value**

An object of class `<constructive_options/constructive_options_environment>`

---

<code>opts_Layer</code>	<i>Constructive options for class 'Layer' (ggplot2)</i>
-------------------------	---

---

**Description**

These options will be used on objects of class 'Layer'.

**Usage**

```
opts_Layer(constructor = c("default", "layer", "environment"), ...)
```

**Arguments**

<code>constructor</code>	String. Name of the function used to construct the environment, see Details section.
<code>...</code>	Should not be used. Forces passing arguments by name.

**Details**

Depending on constructor, we construct the object as follows:

- "default": We attempt to use the function originally used to create the plot.
- "layer": We use the `ggplot2::layer()` function
- "environment": Reconstruct the object using the general environment method (which can be itself tweaked using `opts_environment()`)

The latter constructor is the only one that reproduces the object exactly since Layers are environments and environments can't be exactly copied (see `?opts_environment`)

**Value**

An object of class `<constructive_options/constructive_options_Layer>`

---

opts\_list                      *Constructive options for type 'list'*

---

## Description

These options will be used on objects of type 'list'.

## Usage

```
opts_list(
  constructor = c("list", "list2"),
  ...,
  trim = NULL,
  fill = c("vector", "new_list", "+", "...", "none")
)
```

## Arguments

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.
trim	NULL or integerish. Maximum of elements showed before it's trimmed. Note that it will necessarily produce code that doesn't reproduce the input. This code will parse without failure but its evaluation might fail.
fill	String. Method to use to represent the trimmed elements.

## Details

Depending on constructor, we construct the environment as follows:

- "list" (default): Build the object by calling `list()`.
- "list2": Build the object by calling `rlang::list2()`, the only difference with the above is that we keep a trailing comma when the list is not trimmed and the call spans several lines.

If trim is provided, depending on fill we will present trimmed elements as followed:

- "vector" (default): Use `vector()`, so for instance `list("a", "b", "c")` might become `c(list("a"), vector("list", 2))`.
- "new\_list": Use `rlang::new_list()`, so for instance `list("a", "b", "c")` might become `c(list("a"), rlang::new_list(2))`.
- "+": Use unary `+`, so for instance `list("a", "b", "c")` might become `list("a", +2)`.
- "...": Use `...`, so for instance `list("a", "b", "c")` might become `list("a", ...)`
- "none": Don't represent trimmed elements.

When trim is used the output is parsable but might not be possible to evaluate, especially with `fill = "..."`. In that case you might want to set `check = FALSE`

**Value**

An object of class <constructive\_options/constructive\_options\_list>

---

 opts\_matrix

*Constructive options for matrices*


---

**Description**

Matrices are atomic vectors, lists, or objects of type "expression" with a "dim" attributes of length 2.

**Usage**

```
opts_matrix(constructor = c("matrix", "array", "next", "atomic"), ...)
```

**Arguments**

constructor     String. Name of the function used to construct the environment.  
 ...             Should not be used. Forces passing arguments by name.

**Details**

Depending on constructor, we construct the environment as follows:

- "matrix" : We use matrix()
- "array" : We use array()
- "next" : Use the constructor for the next supported class. Call .class2() on the object to see in which order the methods will be tried. This will usually be equivalent to "array"
- "atomic" : We define as an atomic vector and repair attributes

**Value**

An object of class <constructive\_options/constructive\_options\_environment>

---

 opts\_mts

*Constructive options for time-series objets*


---

**Description**

Depending on constructor, we construct the environment as follows:

- "ts" : We use `ts()`
- "next" : Use the constructor for the next supported class. Call `.class2()` on the object to see in which order the methods will be tried. This will usually be equivalent to "atomic"
- "atomic" : We define as an atomic vector and repair attributes

**Usage**

```
opts_mts(constructor = c("ts", "next", "atomic"), ...)
```

**Arguments**

constructor      String. Name of the function used to construct the environment.  
 ...                Should not be used. Forces passing arguments by name.

**Value**

An object of class `<constructive_options/constructive_options_environment>`

---

opts\_numeric\_version

*Constructive options for numeric\_version*


---

**Description**

Depending on constructor, we construct the environment as follows:

- "numeric\_version" : We use `numeric_version()`
- "next" : Use the constructor for the next supported class. Call `.class2()` on the object to see in which order the methods will be tried. This will usually be equivalent to "array"
- "atomic" : We define as an atomic vector and repair attributes

**Usage**

```
opts_numeric_version(constructor = c("numeric_version", "next", "atomic"), ...)
```

**Arguments**

constructor      String. Name of the function used to construct the environment.  
 ...                Should not be used. Forces passing arguments by name.

**Value**

An object of class <constructive\_options/constructive\_options\_environment>

---

opts_ordered	<i>Constructive options for class 'ordered'</i>
--------------	---

---

**Description**

These options will be used on objects of class 'ordered'.

**Usage**

```
opts_ordered(
  constructor = c("ordered", "factor", "new_ordered", "next", "atomic"),
  ...
)
```

**Arguments**

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.

**Details**

Depending on constructor, we construct the environment as follows:

- "ordered" (default): Build the object using ordered(), levels won't be defined explicitly if they are in alphabetical order (locale dependent!)
- "factor" : Same as above but build the object using factor() and ordered = TRUE.
- "new\_ordered" : Build the object using vctrs::new\_ordered(). Levels are always defined explicitly.
- "next" : Use the constructor for the next supported class. Call .class2() on the object to see in which order the methods will be tried.
- "atomic" : We define as an atomic vector and repair attributes

**Value**

An object of class <constructive\_options/constructive\_options\_factor>



---

opts\_package\_version    *Constructive options for package\_version*

---

### Description

Depending on constructor, we construct the environment as follows:

- "package\_version" : We use package\_version()
- "next" : Use the constructor for the next supported class. Call .class2() on the object to see in which order the methods will be tried. This will usually be equivalent to "array"
- "atomic" : We define as an atomic vector and repair attributes

### Usage

```
opts_package_version(constructor = c("package_version", "next", "atomic"), ...)
```

### Arguments

constructor	String. Name of the function used to construct the environment.
...	Should not be used. Forces passing arguments by name.

### Value

An object of class <constructive\_options/constructive\_options\_environment>

---

opts\_pairlist            *Constructive options for pairlists*

---

### Description

Depending on constructor, we construct the environment as follows:

- "pairlist" (default): Build the object using a pairlist() call.
- "pairlist2" : Build the object using a rlang::pairlist2() call.

### Usage

```
opts_pairlist(constructor = c("pairlist", "pairlist2"), ...)
```

### Arguments

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.

### Value

An object of class <constructive\_options/constructive\_options\_factor>

---

 opts\_POSIXct

*Constructive options for class 'POSIXct'*


---

## Description

These options will be used on objects of class 'POSIXct'.

## Usage

```
opts_POSIXct(
  constructor = c("as.POSIXct", ".POSIXct", "as_datetime", "as.POSIXct.numeric",
    "as_datetime.numeric", "next", "atomic"),
  ...,
  origin = "1970-01-01"
)
```

## Arguments

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.
origin	Origin to be used, ignored when irrelevant.

## Details

Depending on constructor, we construct the environment as follows:

- "as.POSIXct" (default): Build the object using a `as.POSIXct()` call on a character vector.
- ".POSIXct" : Build the object using a `.POSIXct()` call on a numeric vector.
- "as\_datetime" : Build the object using a `lubridate::as_datetime()` call on a character vector.
- "next" : Use the constructor for the next supported class. Call `.class2()` on the object to see in which order the methods will be tried.
- "atomic" : We define as an atomic vector and repair attributes.

## Value

An object of class `<constructive_options/constructive_options_factor>`

---

opts\_POSIXlt                      *Constructive options for class 'POSIXlt'*

---

**Description**

These options will be used on objects of class 'POSIXlt'.

**Usage**

```
opts_POSIXlt(constructor = c("as.POSIXlt", "next", "list"), ...)
```

**Arguments**

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.

**Details**

Depending on constructor, we construct the environment as follows:

- "as.POSIXlt" (default): Build the object using a `as.POSIXlt()` call on a character vector.
- "next" : Use the constructor for the next supported class. Call `.class2()` on the object to see in which order the methods will be tried.
- "list" : We define as a list and repair attributes.

**Value**

An object of class <constructive\_options/constructive\_options\_factor>

---

opts\_quosure                      *Constructive options for class 'quosure'*

---

**Description**

These options will be used on objects of class 'quosure'.

**Usage**

```
opts_quosure(constructor = c("new_quosure", "next", "language"), ...)
```

**Arguments**

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.

**Details**

Depending on constructor, we construct the environment as follows:

- "new\_quosure" (default): Build the object using a new\_quosure() call on a character vector.
- "next" : Use the constructor for the next supported class. Call .class2() on the object to see in which order the methods will be tried.
- "language" : We define as an language object and repair attributes.

**Value**

An object of class <constructive\_options/constructive\_options\_factor>

---

opts_quosures	<i>Constructive options for class 'quosures'</i>
---------------	--

---

**Description**

These options will be used on objects of class 'quosures'.

**Usage**

```
opts_quosures(constructor = c("new_quosures", "next", "list"), ...)
```

**Arguments**

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.

**Details**

Depending on constructor, we construct the environment as follows:

- "as\_quosures" (default): Build the object using a as\_quosures() call on a character vector.
- "next" : Use the constructor for the next supported class. Call .class2() on the object to see in which order the methods will be tried.
- "list" : We define as an list object and repair attributes.

**Value**

An object of class <constructive\_options/constructive\_options\_factor>

---

opts\_rowwise\_df      *Constructive options for class 'rowwise\_df'*

---

### Description

These options will be used on objects of class 'rowwise\_df'.

### Usage

```
opts_rowwise_df(constructor = c("default", "next", "list"), ...)
```

### Arguments

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.

### Details

Depending on constructor, we construct the environment as follows:

- "next" : Use the constructor for the next supported class. Call `.class2()` on the object to see in which order the methods will be tried.
- "list" : We define as an list object and repair attributes.

### Value

An object of class <constructive\_options/constructive\_options\_factor>

---

opts\_R\_system\_version      *Constructive options for R\_system\_version*

---

### Description

Depending on constructor, we construct the environment as follows:

- "R\_system\_version" : We use `R_system_version()`
- "next" : Use the constructor for the next supported class. Call `.class2()` on the object to see in which order the methods will be tried. This will usually be equivalent to "array"
- "atomic" : We define as an atomic vector and repair attributes

### Usage

```
opts_R_system_version(
  constructor = c("R_system_version", "next", "atomic"),
  ...
)
```

**Arguments**

constructor      String. Name of the function used to construct the environment.  
 ...                Should not be used. Forces passing arguments by name.

**Value**

An object of class <constructive\_options/constructive\_options\_environment>

---

opts\_S4                      *Constructive options for class 'S4'*

---

**Description**

These options will be used on objects of class 'S4'. Note that the support for S4 is very experimental so might easily break. Please report issues if it does.

**Usage**

```
opts_S4(constructor = c("new"), ...)
```

**Arguments**

constructor      String. Name of the function used to construct the environment, see Details section.  
 ...                Should not be used. Forces passing arguments by name.

**Value**

An object of class <constructive\_options/constructive\_options\_S4>

---

opts\_tbl\_df                      *Constructive options for tibbles*

---

**Description**

These options will be used on objects of class 'tbl\_df', also known as tibbles. .

**Usage**

```
opts_tbl_df(
  constructor = c("tibble", "tribble", "next", "list"),
  ...,
  trailing_comma = TRUE
)
```

**Arguments**

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.
trailing_comma	Boolean, whether to leave a trailing comma at the end of the constructor call calls

**Details**

Depending on constructor, we construct the object as follows:

- "tibble" (default): Wrap the column definitions in a `tibble::tibble()` call.
- "tribble" : We build the object using `tibble::tribble()` if possible, and fall back to `tibble::tibble()`.
- "next" : Use the constructor for the next supported class. Call `.class2()` on the object to see in which order the methods will be tried.
- "list" : Use `list()` and treat the class as a regular attribute.

**Value**

An object of class `<constructive_options/constructive_options_tbl_df>`

---

 opts\_ts

*Constructive options for time-series objets*


---

**Description**

Depending on constructor, we construct the environment as follows:

- "ts" : We use `ts()`
- "next" : Use the constructor for the next supported class. Call `.class2()` on the object to see in which order the methods will be tried. This will usually be equivalent to "atomic"
- "atomic" : We define as an atomic vector and repair attributes

**Usage**

```
opts_ts(constructor = c("ts", "next", "atomic"), ...)
```

**Arguments**

constructor	String. Name of the function used to construct the environment.
...	Should not be used. Forces passing arguments by name.

**Value**

An object of class `<constructive_options/constructive_options_environment>`

---

opts\_vctrs\_list\_of      *Constructive options for class 'data.table'*

---

### Description

These options will be used on objects of class 'data.table'.

### Usage

```
opts_vctrs_list_of(constructor = c("list_of", "list"), ...)
```

### Arguments

constructor	String. Name of the function used to construct the environment, see Details section.
...	Should not be used. Forces passing arguments by name.

### Details

Depending on constructor, we construct the object as follows:

- "list\_of" (default): Wrap the column definitions in a list\_of() call.
- "list" : Use list() and treat the class as a regular attribute.

### Value

An object of class <constructive\_options/constructive\_options\_data.table>

---

opts\_weakref      *Constructive options for the class weakref*

---

### Description

These options will be used on objects of type weakref. weakref objects are rarely encountered and there is no base R function to create them. However **rlang** has a new\_weakref function that we can use.

### Usage

```
opts_weakref(constructor = c("new_weakref"), ...)
```

### Arguments

constructor	String. Name of the constructor.
...	Should not be used. Forces passing arguments by name.



*opts\_weakref*

49

**Value**

An object of class <constructive\_options/constructive\_options\_array>

# Index

- \* **datasets**
  - constructors, 15
  - .cstr\_apply, 3
  - .cstr\_combine\_errors, 4
  - .cstr\_construct, 6
  - .cstr\_fetch\_opts, 6
  - .cstr\_match\_constructor, 7
  - .cstr\_options, 7
  - .cstr\_pipe, 8
  - .cstr\_register\_constructors, 8
  - .cstr\_repair\_attributes, 9
  - .cstr\_wrap, 10
  - .env, 10
  - .xptr, 11
- compare\_options, 11
- construct, 12
- construct\_diff, 15
- construct\_dump, 17
- construct\_issues, 17
- construct\_multi (construct), 12
- construct\_signature, 18
- constructors, 15
- custom-constructors, 18
- defused function call, 5
- deparse\_call, 19
- Formatting messages with cli, 5
- Including contextual information with error chains, 5
- Including function calls in error messages, 5
- local\_use\_cli(), 5
- opts\_array, 13, 20
- opts\_AsIs, 13, 20
- opts\_atomic, 13, 21
- opts\_classGeneratorFunction, 13, 23
- opts\_classPrototypeDef, 13, 23
- opts\_classRepresentation, 13, 24
- opts\_constructive\_options, 13, 24
- opts\_data.frame, 13, 25
- opts\_data.table, 13, 26
- opts\_Date, 13, 27
- opts\_dm, 13, 28
- opts\_dots, 13, 28
- opts\_environment, 14, 29
- opts\_externalptr, 14, 31
- opts\_factor, 14, 32
- opts\_formula, 14, 33
- opts\_function, 14, 34
- opts\_grouped\_df, 14, 35
- opts\_language, 14, 35
- opts\_Layer, 14, 36
- opts\_list, 14, 37
- opts\_matrix, 14, 38
- opts\_mts, 14, 39
- opts\_numeric\_version, 14, 39
- opts\_ordered, 14, 40
- opts\_package\_version, 14, 41
- opts\_pairlist, 14, 41
- opts\_POSIXct, 14, 42
- opts\_POSIXlt, 14, 43
- opts\_quosure, 14, 43
- opts\_quosures, 14, 44
- opts\_R\_system\_version, 14, 45
- opts\_rowwise\_df, 14, 45
- opts\_S4, 14, 46
- opts\_tbl\_df, 14, 46
- opts\_ts, 14, 47
- opts\_vctrs\_list\_of, 14, 48
- opts\_weakref, 14, 48
- trace\_back(), 5
- try\_fetch(), 5, 6
- tryCatch(), 6