

Package ‘recurse’

November 9, 2023

Type Package

Title Computes Revisitation Metrics for Trajectory Data

Version 1.2.0

Date 2023-11-07

Author Chloe Bracis [aut, cre]

Maintainer Chloe Bracis <cbracis@uw.edu>

Description Computes revisitation metrics for trajectory data, such as the number of revisitations for each location as well as the time spent for that visit and the time since the previous visit. Also includes functions to plot data.

License MIT + file LICENSE

Imports Rcpp (>= 0.12.7)

LinkingTo Rcpp

Suggests testthat, circular, prevR, scales, fields, methods, move,
knitr, rmarkdown, sp

LazyData true

RoxygenNote 7.2.2

Encoding UTF-8

VignetteBuilder knitr

NeedsCompilation yes

Repository CRAN

Date/Publication 2023-11-08 23:10:03 UTC

R topics documented:

.calculateCrossingPercentageCmplx	2
calculateIntervalResidenceTime	2
drawCircle	3
getRecursions	5
getRecursions3D	7
getRecursions3DAtLocations	9

getRecursionsAtLocations	11
getRecursionsInPolygon.Move	14
martin	16
plot.recurse	17
recurse	18
track	18
wren	19

Index	20
--------------	-----------

.calculateCrossingPercentageCmplx

Calculates percentage of trajectory segment within circle

Description

Calculates the percentage of a segment that lies within a circle for a point A inside the circle and point B outside the circle for a circle with center C and radius R.

Usage

.calculateCrossingPercentageCmplx(Cz, Az, Bz, R)

Arguments

Cz	circle center
Az	point 1
Bz	point 2
R	radius

calculateIntervalResidenceTime

Calculates residence time within user-specified breaks

Description

Using the results from [getRecursions](#) or [getRecursionsAtLocations](#), calculates the residence time during user-specified intervals (rather than the entire trajectory period) in the radius around each location.

Usage

calculateIntervalResidenceTime(x, breaks, labels = NULL)

Arguments

x	recurse object returned from call to getRecurSIONs or getRecurSIONsAtLocations with verbose = TRUE
breaks	vector of POSIX datetimes describing the interval boundaries
labels	(optional) vector or names for the intervals

Details

When recursions are calculated, the residence time in the radius around each location is also calculated. This method allows the user to post-process the results from calculating recursions to calculate residence time over user-specified intervals, rather than the entire trajectory. This allows the calculation of residence time on biologically relevant scales, such as seasons, and in cases where large gaps between visits (e.g., a seasonal migrant) may make splitting up the residence time preferable.

Note that care should be taken to use the same time zone when specifying the break points as used in the datetime for the movement trajectory.

Value

A matrix of residence times where the columns are the coordinate indices of the locations (either movement trajectory locations or user-specified locations) and the rows are the time intervals.

Author(s)

Chloe Bracis <cbracis@uw.edu>

See Also

[getRecurSIONs](#), [getRecurSIONsAtLocations](#)

Examples

```
data(martin)
revisits = getRecurSIONs(martin, radius = 1)
breaks = strptime(c("2000-01-01 00:00:00", "2000-01-15 00:00:00", "2000-02-01 00:00:00"),
format = "")
intervalResTime = calculateIntervalResidenceTime(revisits, breaks)
```

drawCircle

Draws a circle

Description

Draws a circle in data coordinates, so it will be a circle if the aspect ratio of the plot is 1, or else it will be appear as an ellipse.

Usage

```
drawCircle(x, y, radius, nv = 100, border = NULL, col = NA, lty = 1, lwd = 1)
```

Arguments

x	x-coordinate of circle center
y	y-coordinate of circle center
radius	radius of circle
nv	how many plotted segments
border	polygon border
col	line color
lty	line type
lwd	line width

Details

This function is useful to display a representative circle with the specified radius on a plot of revisits.

Value

invisibly, the x and y points of the drawn circle

Author(s)

Chloe Bracis <cbracis@uw.edu>

See Also

[plot.recurse](#)

Examples

```
data(martin)
revisits = getRecurSIONS(martin, radius = 1)
plot(revisits, martin, legendPos = c(10, -15))
drawCircle(10, -10, 1)
```

getRecurSIONs	<i>Calculates recursion information from the trajectory</i>
---------------	---

Description

A circle of radius R is drawn around each point in the trajectory. The number of revisits is calculated as the number of segments of the trajectory passing through that circle.

Usage

```
getRecurSIONs(  
  x,  
  radius,  
  threshold = 0,  
  timeunits = c("hours", "secs", "mins", "days"),  
  verbose = TRUE  
)  
  
## S3 method for class 'data.frame'  
getRecurSIONs(  
  x,  
  radius,  
  threshold = 0,  
  timeunits = c("hours", "secs", "mins", "days"),  
  verbose = TRUE  
)  
  
## S3 method for class 'Move'  
getRecurSIONs(  
  x,  
  radius,  
  threshold = 0,  
  timeunits = c("hours", "secs", "mins", "days"),  
  verbose = TRUE  
)  
  
## S3 method for class 'MoveStack'  
getRecurSIONs(  
  x,  
  radius,  
  threshold = 0,  
  timeunits = c("hours", "secs", "mins", "days"),  
  verbose = TRUE  
)
```

Arguments

x	Either a data frame, Move-class , or MoveStack object. For a data frame, the trajectory data with four columns (the x-coordinate, the y-coordinate, the datetime, and the animal id).
radius	numeric radius to use in units of the (x,y) location data to detect recursions.
threshold	a time difference (in units timeunits) to ignore excursions outside the radius. Defaults to 0.
timeunits	character string specifying units to calculate time differences in for the time spans inside the radius and since the visit in <code>revisitStats</code> . Defaults to hours.
verbose	TRUE to output complete information (can be large for large input data frames) or FALSE to output basic information.

Details

For each point in the trajectory, a circle of radius R is drawn around that point. Then the number of segments of the trajectory passing through that circle is counted. This is the number of revisits, so each point will have at least one revisit (the initial visit). For each revisit, the time spent inside the circle is calculated, as well as the time since the last visit (NA for the first visit). In order to calculate the time values, the crossing time of the radius is calculated by assuming linear movement at a constant speed between the points inside and outside the circle.

Projection. Consider the projection used. Since segments are counted passing through circles drawn around points, an equal area projection would ensure similar size comparisons (e.g., [spTransform](#)).

Either single or multiple individuals are supported, but be aware that this function will be slow with large amounts of data (e.g. millions of points), so consider pre-specifying the locations ([getRecursionsAtLocations](#)) or use clustering. Multiple individuals are handled via the `id` column of the data.frame or using a [MoveStack](#) object.

Value

A list with several components, `revisits` and `residenceTime` are vectors of the same length as the `x` dataframe. `revisits` is the number of revisits for each location, where 1 means that there were no revisits, only the initial visit. `residenceTime` is the total time spent within the radius. `radius` is the specified radius used for all the calculations. `timeunits` is the specified time units used to specify timespans.

When `verbose = TRUE`, additional information is also returned, `dists` and `revisitStats`. Next, `dists` gives the distance matrix between all locations. Finally, `revisitStats` gives further statistics on each visit. These are calculated per location (i.e., no aggregation of nearby points is performed), and give the index and location of the point of the track at the center of the radius, the radius entrance and exit time of the track for that visit, how much time was spent inside the radius, and how long since the last visit (NA for the first visit).

Methods (by class)

- `getRecursions(data.frame)`: Get recursions for a data.frame object consisting of columns `x`, `y`, `datetime`, and `id`
- `getRecursions(Move)`: Get recursions for a [Move-class](#) object
- `getRecursions(MoveStack)`: Get recursions for a [MoveStack](#) object

Author(s)

Chloe Bracis <cbracis@uw.edu>

See Also

[getRecurSIONSAtLocations](#)

Examples

```
data(martin)
revisits = getRecurSIONS(martin, radius = 1)
plot(revisits, martin, legendPos = c(10, -15))
drawCircle(10, -10, 1)
```

getRecurSIONS3D

Calculates recursion information from the 3D trajectory

Description

A sphere of radius R is drawn around each point in the trajectory. The number of revisits is calculated as the number of segments of the trajectory passing through that sphere.

Usage

```
getRecurSIONS3D(
  x,
  radius,
  threshold = 0,
  timeunits = c("hours", "secs", "mins", "days"),
  verbose = TRUE
)
```

```
## S3 method for class 'data.frame'
getRecurSIONS3D(
  x,
  radius,
  threshold = 0,
  timeunits = c("hours", "secs", "mins", "days"),
  verbose = TRUE
)
```

Arguments

x A data frame with the trajectory data in five columns (the x-coordinate, the y-coordinate, the z-coordinate, the datetime, and the animal id).

radius numeric radius to use in units of the (x,y,z) location data to detect recursions.

threshold	a time difference (in units timeunits) to ignore excursions outside the radius. Defaults to 0.
timeunits	character string specifying units to calculate time differences in for the time spans inside the radius and since the visit in revisitStats. Defaults to hours.
verbose	TRUE to output complete information (can be large for large input data frames) or FALSE to output basic information.

Details

For each point in the trajectory, a sphere of radius R is drawn around that point. Then the number of segments of the trajectory passing through that sphere is counted. This is the number of revisits, so each point will have at least one revisit (the initial visit). For each revisit, the time spent inside the sphere is calculated, as well as the time since the last visit (NA for the first visit). In order to calculate the time values, the crossing time of the radius is calculated by assuming linear movement at a constant speed between the points inside and outside the sphere.

Projection. Consider the projection used. Since segments are counted passing through spheres drawn around points, an equal area projection would ensure similar size comparisons (e.g., [spTransform](#)).

Either single or multiple individuals are supported, but be aware that this function will be slow with large amounts of data (e.g. millions of points), so consider pre-specifying the locations ([getRecursionsAtLocations](#)) or use clustering. Multiple individuals are handled via the `id` column of the `data.frame`.

Value

A list with several components, `revisits` and `residenceTime` are vectors of the same length as the `x` dataframe. `revisits` is the number of revisits for each location, where 1 means that there were no revisits, only the initial visit. `residenceTime` is the total time spent within the radius. `radius` is the specified radius used for all the calculations. `timeunits` is the specified time units used to specify timespans.

When `verbose = TRUE`, additional information is also returned, `dists` and `revisitStats`. Next, `dists` gives the distance matrix between all locations. Finally, `revisitStats` gives further statistics on each visit. These are calculated per location (i.e., no aggregation of nearby points is performed), and give the index and location of the point of the track at the center of the radius, the radius entrance and exit time of the track for that visit, how much time was spent inside the radius, and how long since the last visit (NA for the first visit).

Methods (by class)

- `getRecursions3D(data.frame)`: Get recursions for a `data.frame` object consisting of columns `x`, `y`, `z`, `datetime`, and `id`

Author(s)

Chloe Bracis <cbracis@uw.edu>

See Also

[getRecursions3DAtLocations](#)

Examples

```
data(martin)
revisits = getRecurSIONS(martin, radius = 1)
plot(revisits, martin, legendPos = c(10, -15))
drawCircle(10, -10, 1)
```

```
getRecurSIONS3DAtLocations
```

Calculates recursion information from the 3D trajectory for specific locations

Description

A sphere of radius R is drawn around each specified location. The number of revisits is calculated as the number of segments of the trajectory passing through that sphere.

Usage

```
getRecurSIONS3DAtLocations(
  x,
  locations,
  radius,
  threshold = 0,
  timeunits = c("hours", "secs", "mins", "days"),
  verbose = TRUE
)
```

```
## S3 method for class 'data.frame'
```

```
getRecurSIONS3DAtLocations(
  x,
  locations,
  radius,
  threshold = 0,
  timeunits = c("hours", "secs", "mins", "days"),
  verbose = TRUE
)
```

Arguments

x	A data frame with the trajectory data with five columns (the x-coordinate, the y-coordinate, the z-coordinate, the datetime, and the animal id).
locations	A data frame with x and y locations at which to calculate the recursions.
radius	numeric radius to use in units of the (x,y,z) location data to detect recursions.
threshold	a time difference (in units timeunits) to ignore excursions outside the radius. Defaults to 0.

<code>timeunits</code>	character string specifying units to calculate time differences in for the time spans inside the radius and since the visit in <code>revisitStats</code> . Defaults to hours.
<code>verbose</code>	TRUE to output complete information (can be large for large input data frames) or FALSE to output basic information.

Details

For specified location, a sphere of radius R is drawn around that point. This method differs from [getRecurSIONS](#) in that only specified locations are used, rather than all points in the trajectory. Then the number of segments of the trajectory passing through that sphere is counted. This is the number of revisits to that location. For each revisit, the time spent inside the sphere is calculated, as well as the time since the last visit (NA for the first visit). In order to calculate the time values, the crossing time of the radius is calculated by assuming linear movement at a constant speed between the points inside and outside the sphere.

Projection. Consider the projection used. Since segments are counted passing through spheres drawn around points, an equal area projection would ensure similar size comparisons (e.g., [spTransform](#)).

Either single or multiple individuals are supported, but be aware that this function will be slow with large amounts of data (e.g. millions of points), so consider pre-specifying the locations ([getRecurSIONSAtLocations](#)) or use clustering. Multiple individuals are handled via the `id` column of the `data.frame`.

Value

A list with several components, `revisits` and `residenceTime` are vectors of the same length as the `x` dataframe. `revisits` is the number of revisits for each location, where 1 means that there were no revisits, only the initial visit. `residenceTime` is the total time spent within the radius. `radius` is the specified radius used for all the calculations. `timeunits` is the specified time units used to specify timespans.

When `verbose = TRUE`, additional information is also returned, `dists` and `revisitStats`. Next, `dists` gives the distance matrix between all locations. Finally, `revisitStats` gives further statistics on each visit. These are calculated per location (i.e., no aggregation of nearby points is performed), and give the index and location of the point of the track at the center of the radius, the radius entrance and exit time of the track for that visit, how much time was spent inside the radius, and how long since the last visit (NA for the first visit).

Methods (by class)

- `getRecurSIONS3DatLocations(data.frame)`: Get recursions at specified locations for a `data.frame` object

Author(s)

Chloe Bracis <cbracis@uw.edu>

See Also

[getRecurSIONS](#)

Examples

```
data(martin)
locations = data.frame(x = c(-10, 0, 20), y = c(5, 0, 0))
revisits = getRecurSIONsAtLocations(martin, locations, radius = 1)
plot(revisits, locations, legendPos = c(10, -15),
      alpha = 1, pch = 17, xlim = range(martin$x), ylim = range(martin$y))
points(martin$x, martin$y, pch = ".", col = "gray50")
drawCircle(10, -10, 1)
```

getRecurSIONsAtLocations

Calculates recursion information from the trajectory for specific locations

Description

A circle of radius R is drawn around each specified location. The number of revisits is calculated as the number of segments of the trajectory passing through that circle.

Usage

```
getRecurSIONsAtLocations(
  x,
  locations,
  radius,
  threshold = 0,
  timeunits = c("hours", "secs", "mins", "days"),
  verbose = TRUE
)
```

```
## S3 method for class 'data.frame'
```

```
getRecurSIONsAtLocations(
  x,
  locations,
  radius,
  threshold = 0,
  timeunits = c("hours", "secs", "mins", "days"),
  verbose = TRUE
)
```

```
## S3 method for class 'Move'
```

```
getRecurSIONsAtLocations(
  x,
  locations,
  radius,
  threshold = 0,
```

```

    timeunits = c("hours", "secs", "mins", "days"),
    verbose = TRUE
)

## S3 method for class 'MoveStack'
getRecurSIONsAtLocations(
  x,
  locations,
  radius,
  threshold = 0,
  timeunits = c("hours", "secs", "mins", "days"),
  verbose = TRUE
)

```

Arguments

x	Either a data frame, Move-class , or MoveStack object. For a data frame, the trajectory data with four columns (the x-coordinate, the y-coordinate, the datetime, and the animal id).
locations	A data frame with x and y locations at which to calculate the recursions.
radius	numeric radius to use in units of the (x,y) location data to detect recursions.
threshold	a time difference (in units timeunits) to ignore excursions outside the radius. Defaults to 0.
timeunits	character string specifying units to calculate time differences in for the time spans inside the radius and since the visit in <code>revisitStats</code> . Defaults to hours.
verbose	TRUE to output complete information (can be large for large input data frames) or FALSE to output basic information.

Details

For specified location, a circle of radius R is drawn around that point. This method differs from [getRecurSIONs](#) in that only specified locations are used, rather than all points in the trajectory. Then the number of segments of the trajectory passing through that circle is counted. This is the number of revisits to that location. For each revisit, the time spent inside the circle is calculated, as well as the time since the last visit (NA for the first visit). In order to calculate the time values, the crossing time of the radius is calculated by assuming linear movement at a constant speed between the points inside and outside the circle.

Projection. Consider the projection used. Since segments are counted passing through circles drawn around points, an equal area projection would ensure similar size comparisons (e.g., [sp-Transform](#)).

Either single or multiple individuals are supported, but be aware that this function will be slow with large amounts of data (e.g. millions of points), so consider pre-specifying the locations ([getRecurSIONsAtLocations](#)) or use clustering. Multiple individuals are handled via the `id` column of the data.frame or using a [MoveStack](#) object.

Value

A list with several components, `revisits` and `residenceTime` are vectors of the same length as the `x` dataframe. `revisits` is the number of revisits for each location, where 1 means that there were no revisits, only the initial visit. `residenceTime` is the total time spent within the radius. `radius` is the specified radius used for all the calculations. `timeunits` is the specified time units used to specify timespans.

When `verbose = TRUE`, additional information is also returned, `dists` and `revisitStats`. Next, `dists` gives the distance matrix between all locations. Finally, `revisitStats` gives further statistics on each visit. These are calculated per location (i.e., no aggregation of nearby points is performed), and give the index and location of the point of the track at the center of the radius, the radius entrance and exit time of the track for that visit, how much time was spent inside the radius, and how long since the last visit (NA for the first visit).

Methods (by class)

- `getRecurSIONsAtLocations(data.frame)`: Get recursions at specified locations for a `data.frame` object
- `getRecurSIONsAtLocations(Move)`: Get recursions at specified locations for a [Move-class](#) object
- `getRecurSIONsAtLocations(MoveStack)`: Get recursions at specified locations for a [MoveStack](#) object

Author(s)

Chloe Bracis <cbracis@uw.edu>

See Also

[getRecurSIONs](#)

Examples

```
data(martin)
locations = data.frame(x = c(-10, 0, 20), y = c(5, 0, 0))
revisits = getRecurSIONsAtLocations(martin, locations, radius = 1)
plot(revisits, locations, legendPos = c(10, -15),
     alpha = 1, pch = 17, xlim = range(martin$x), ylim = range(martin$y))
points(martin$x, martin$y, pch = ".", col = "gray50")
drawCircle(10, -10, 1)
```

getRecursionsInPolygon.Move

Calculates recursion information from the trajectory inside a polygon

Description

The number of revisits to a polygon is calculated as the number of segments of the trajectory passing through the polygon.

Usage

```
## S3 method for class 'Move'  
getRecursionsInPolygon(  
  trajectory,  
  polygon,  
  threshold = 0,  
  timeunits = c("hours", "secs", "mins", "days"),  
  verbose = TRUE  
)
```

```
getRecursionsInPolygon(  
  trajectory,  
  polygon,  
  threshold = 0,  
  timeunits = c("hours", "secs", "mins", "days"),  
  verbose = TRUE  
)
```

```
## S3 method for class 'data.frame'  
getRecursionsInPolygon(  
  trajectory,  
  polygon,  
  threshold = 0,  
  timeunits = c("hours", "secs", "mins", "days"),  
  verbose = TRUE  
)
```

```
## S3 method for class 'MoveStack'  
getRecursionsInPolygon(  
  trajectory,  
  polygon,  
  threshold = 0,  
  timeunits = c("hours", "secs", "mins", "days"),  
  verbose = TRUE  
)
```

Arguments

trajectory	A data frame with four columns (the x-coordinate, the y-coordinate, the date-time, and the animal id).
polygon	A SpatialPolygons object with a single convex polygon.
threshold	A time difference (in units <code>timeunits</code>) to ignore excursions outside the radius. Defaults to 0.
timeunits	Character string specifying units to calculate time differences in for the time spans inside the radius and since the visit in <code>revisitStats</code> . Defaults to hours.
verbose	TRUE to output complete information (can be large for large input data frames) or FALSE to output basic information.

Details

The number of segments of the trajectory passing through the polygon is counted as the number of revisits. For each revisit, the time spent inside the polygon is calculated, as well as the time since the last visit (NA for the first visit). In order to calculate the time values, the crossing time of the polygon is calculated by assuming linear movement at a constant speed between the points inside and outside the polygon. Note the polygon must be convex as described in further detail below.

Projection. Consider the projection used. Since segments are counted passing through the polygon, an equal area projection would ensure similar size comparisons (e.g., [spTransform](#)). A geographic projection is not appropriate. The projection for the polygon and the trajectory must be the same.

Polygon. The polygon must be specified as a [SpatialPolygons](#) object. It should consist of a single polygon (rather than a list of multiple polygons). It should further be convex, though this requirement is not enforced, calculations for non-convex polygons will not necessarily be accurate. It may be advantageous to simplify complex geometry in order to shorten the time to run. If it is necessary to use a non-convex polygon, one approach would be to split it into convex pieces that can be run one-by-one. However, some visits would then be double-counted and would need to be combined back together based on the entrance/exit times and sequence of trajectory locations.

Either single or multiple individuals are supported, but be aware that this function will be slow with large amounts of data (e.g. millions of points). Multiple individuals are handled via the `id` column of the `data.frame`.

Value

A list with several components, `revisits` and `residenceTime` are vectors of the same length as the trajectory dataframe. `revisits` is the number of revisits for each location, where 1 means that there were no revisits, only the initial visit. `residenceTime` is the total time spent within the radius. `radius` is the specified radius used for all the calculations. `timeunits` is the specified time units used to specify timespans.

When `verbose = TRUE`, additional information is also returned, `dists` and `revisitStats`. Next, `dists` gives the distance matrix between all locations. Finally, `revisitStats` gives further statistics on each visit. These are calculated per location (i.e., no aggregation of nearby points is performed), and give the index and location of the point of the track at the center of the radius, the radius entrance and exit time of the track for that visit, how much time was spent inside the radius, and how long since the last visit (NA for the first visit).

Methods (by class)

- `getRecursionsInPolygon(Move)`: Get recursions in polygon for a [Move-class](#) trajectory
- `getRecursionsInPolygon(data.frame)`: Get recursions inside a polygon for a trajectory `data.frame` object consisting of columns `x`, `y`, `datetime`, and `id`
- `getRecursionsInPolygon(MoveStack)`: Get recursions in polygon for a [MoveStack](#) trajectory

Author(s)

Chloe Bracis <cbracis@uw.edu>

See Also

[getRecursions](#)

Examples

```
#data(track)
#poly = sp::SpatialPolygons( list(
#   sp::Polygons( list(sp::Polygon(cbind(c(4,6,6,3,4),c(1,2,4,3,1)))), ID = 1 )
# ))
#revisits = getRecursionsInPolygon(track, poly)
```

martin

Sample trajectory (martin).

Description

A dataset containing a sample trajectory with revisits.

Usage

```
data(martin)
```

Format

A data frame with 600 rows and 4 columns

Details

- `x`. x-coordinate
- `y`. y-coordinate
- `t`. time
- `id`. identifier

plot.recurse	<i>Calculates recursion information from the trajectory</i>
--------------	---

Description

Plots a trajectory color coded by number of revisits to each point.

Usage

```
## S3 method for class 'recurse'  
plot(x, y, t, ..., col, alpha = 1, legendPos = NULL)
```

Arguments

x	recurse object returned from call to getRecursions
y	data.frame of x, y, t, and id representing the xy-coordinates and the time (same as call to getRecursions)
...	additional arguments to plot
col	optional vector of colors as long as the maximum number of revisits to color code trajectory points
alpha	optional alpha value for color transparency between 0 and 1
legendPos	a vector of length 2 with the x and y coordinate of the center of the legend in user coordinates

Details

This method allows the user to visually represent the number of revisitations by location. The size of the circle of radius R can be added to the plot with [drawCircle](#).

Value

the plot

Author(s)

Chloe Bracis <cbracis@uw.edu>

See Also

[getRecursions](#), [getRecursionsAtLocations](#), [drawCircle](#)

Examples

```
data(martin)  
revisits = getRecursions(martin, radius = 1)  
plot(revisits, martin, legendPos = c(10, -15))  
drawCircle(10, -10, 1)
```

recurse

Computes revisitation metrics for trajectory data

Description

Computes revisitation metrics for trajectory data, such as the number of revisitations for each location as well as the time spent for that visit and the time since the previous visit. Also includes functions to plot data.

Details

The function `getRecursions` computes the revisit metrics, which can be plotted with `plot.recurse`. Alternatively, `getRecursionsAtLocations` computes revisit metrics for specified locations, rather than all locations in the movement trajectory.

Author(s)

Chloe Bracis <cbracis@uw.edu>

track

Sample trajectory (track).

Description

A dataset containing a sample trajectory with revisits.

Usage

```
data(track)
```

Format

A data frame with 100 rows and 4 columns

Details

- x. x-coordinate
- y. y-coordinate
- t. time
- id. identifier

wren	<i>Sample trajectory (wren).</i>
------	----------------------------------

Description

A dataset containing a sample trajectory with revisits.

Usage

```
data(wren)
```

Format

A data frame with 600 rows and 4 columns

Details

- x. x-coordinate
- y. y-coordinate
- t. time
- id. identifier

Index

- * **datasets**
 - martin, [16](#)
 - track, [18](#)
 - wren, [19](#)
- .calculateCrossingPercentageCmplx, [2](#)
- calculateIntervalResidenceTime, [2](#)
- drawCircle, [3](#), [17](#)
- getRecursions, [2](#), [3](#), [5](#), [10](#), [12](#), [13](#), [16–18](#)
- getRecursions3D, [7](#)
- getRecursions3DAtLocations, [8](#), [9](#)
- getRecursionsAtLocations, [2](#), [3](#), [6–8](#), [10](#),
[11](#), [12](#), [17](#), [18](#)
- getRecursionsInPolygon
 - (getRecursionsInPolygon.Move),
[14](#)
- getRecursionsInPolygon.Move, [14](#)
- martin, [16](#)
- Move-class, [6](#), [12](#), [13](#), [16](#)
- MoveStack, [6](#), [12](#), [13](#), [16](#)
- plot, [17](#)
- plot.recurse, [4](#), [17](#), [18](#)
- recurse, [18](#)
- SpatialPolygons, [15](#)
- spTransform, [6](#), [8](#), [10](#), [12](#), [15](#)
- track, [18](#)
- wren, [19](#)