

Package ‘viridis’

July 22, 2023

Type Package

Title Colorblind-Friendly Color Maps for R

Version 0.6.4

Date 2023-07-19

Maintainer Simon Garnier <garnier@njit.edu>

Description Color maps designed to improve graph readability for readers with common forms of color blindness and/or color vision deficiency. The color maps are also perceptually-uniform, both in regular form and also when converted to black-and-white for printing. This package also contains 'ggplot2' bindings for discrete and continuous color and fill scales. A lean version of the package called 'viridisLite' that does not include the 'ggplot2' bindings can be found at <https://cran.r-project.org/package=viridisLite>.

License MIT + file LICENSE

Encoding UTF-8

Depends R (>= 2.10), viridisLite (>= 0.4.0)

Imports ggplot2 (>= 1.0.1), gridExtra

Suggests hexbin (>= 1.27.0), scales, MASS, knitr, dichromat, colorspace, httr, mapproj, vdiff, svglite (>= 1.2.0), testthat, covr, rmarkdown, maps, terra

LazyData true

VignetteBuilder knitr

URL <https://sjmgarnier.github.io/viridis/>,
<https://github.com/sjmgarnier/viridis/>

BugReports <https://github.com/sjmgarnier/viridis/issues>

RoxygenNote 7.2.3

NeedsCompilation no

Author Simon Garnier [aut, cre],
Noam Ross [ctb, cph],
Bob Rudis [ctb, cph],

Marco Sciaini [ctb, cph],
 Antônio Pedro Camargo [ctb, cph],
 Cédric Scherer [ctb, cph]

Repository CRAN

Date/Publication 2023-07-22 12:50:02 UTC

R topics documented:

| | |
|------------------------------|---|
| scale_fill_viridis | 2 |
| unemp | 4 |
| viridis_pal | 5 |

| | |
|--------------|----------|
| Index | 7 |
|--------------|----------|

| | |
|--------------------|---|
| scale_fill_viridis | <i>Viridis Color Scales for ggplot2</i> |
|--------------------|---|

Description

Scale functions (fill and colour/color) for [ggplot2](#).

For discrete == FALSE (the default) all other arguments are as to [scale_fill_gradientn](#) or [scale_color_gradientn](#). Otherwise the function will return a [discrete_scale](#) with the plot-computed number of colors.

See [viridis](#) and [viridis.map](#) for more information on the color palettes.

Usage

```
scale_fill_viridis(
  ...,
  alpha = 1,
  begin = 0,
  end = 1,
  direction = 1,
  discrete = FALSE,
  option = "D",
  aesthetics = "fill"
)
```

```
scale_color_viridis(
  ...,
  alpha = 1,
  begin = 0,
  end = 1,
  direction = 1,
  discrete = FALSE,
  option = "D",
```

```

  aesthetics = "color"
)

scale_colour_viridis(
  ...,
  alpha = 1,
  begin = 0,
  end = 1,
  direction = 1,
  discrete = FALSE,
  option = "D",
  aesthetics = "color"
)

```

Arguments

| | |
|------------|---|
| ... | Parameters to discrete_scale if <code>discrete == TRUE</code> , or scale_fill_gradientn/scale_color_gradientn if <code>discrete == FALSE</code> . |
| alpha | The alpha transparency, a number in [0,1], see argument alpha in hsv . |
| begin | The (corrected) hue in [0,1] at which the color map begins. |
| end | The (corrected) hue in [0,1] at which the color map ends. |
| direction | Sets the order of colors in the scale. If 1, the default, colors are as output by viridis_pal . If -1, the order of colors is reversed. |
| discrete | Generate a discrete palette? (default: FALSE - generate continuous palette). |
| option | A character string indicating the color map option to use. Eight options are available: <ul style="list-style-type: none"> • "magma" (or "A") • "inferno" (or "B") • "plasma" (or "C") • "viridis" (or "D") • "cividis" (or "E") • "rocket" (or "F") • "mako" (or "G") • "turbo" (or "H") |
| aesthetics | Character string or vector of character strings listing the name(s) of the aesthetic(s) that this scale works with. This can be useful, for example, to apply colour settings to the colour and fill aesthetics at the same time, via <code>aesthetics = c("colour", "fill")</code> . |

Author(s)

Noam Ross <noam.ross@gmail.com> / [@noamross](#)

Bob Rudis <bob@rud.is> / [@hrbrmstr](#)

Simon Garnier: <garnier@njit.edu> / [@sjmgarnier](#)

Examples

```

library(ggplot2)

# Ripped from the pages of ggplot2
p <- ggplot(mtcars, aes(wt, mpg))
p + geom_point(size = 4, aes(colour = factor(cyl))) +
  scale_color_viridis(discrete = TRUE) +
  theme_bw()

# Ripped from the pages of ggplot2
dsub <- subset(diamonds, x > 5 & x < 6 & y > 5 & y < 6)
dsub$diff <- with(dsub, sqrt(abs(x - y)) * sign(x - y))
d <- ggplot(dsub, aes(x, y, colour = diff)) + geom_point()
d + scale_color_viridis() + theme_bw()

# From the main viridis example
dat <- data.frame(x = rnorm(10000), y = rnorm(10000))

ggplot(dat, aes(x = x, y = y)) +
  geom_hex() + coord_fixed() +
  scale_fill_viridis() + theme_bw()

library(ggplot2)
library(MASS)
library(gridExtra)

data("geyser", package="MASS")

ggplot(geyser, aes(x = duration, y = waiting)) +
  xlim(0.5, 6) + ylim(40, 110) +
  stat_density2d(aes(fill = ..level..), geom = "polygon") +
  theme_bw() +
  theme(panel.grid = element_blank()) -> gg

grid.arrange(
  gg + scale_fill_viridis(option = "A") + labs(x = "Viridis A", y = NULL),
  gg + scale_fill_viridis(option = "B") + labs(x = "Viridis B", y = NULL),
  gg + scale_fill_viridis(option = "C") + labs(x = "Viridis C", y = NULL),
  gg + scale_fill_viridis(option = "D") + labs(x = "Viridis D", y = NULL),
  gg + scale_fill_viridis(option = "E") + labs(x = "Viridis E", y = NULL),
  gg + scale_fill_viridis(option = "F") + labs(x = "Viridis F", y = NULL),
  gg + scale_fill_viridis(option = "G") + labs(x = "Viridis G", y = NULL),
  gg + scale_fill_viridis(option = "H") + labs(x = "Viridis H", y = NULL),
  ncol = 4, nrow = 2
)

```

Description

A data set containing the 2009 unemployment data in the USA by county.

Usage

```
unemp
```

Format

A data frame with 3218 rows and 8 variables:

id the county ID number
state_fips the state FIPS number
county_fips the county FIPS number
name the county name
year the year
rate the unemployment rate
county the county abbreviated name
state the state acronym

Source

<http://datasets.flowingdata.com/unemployment09.csv>

 viridis_pal

Viridis Color Palettes

Description

A wrapper function around [viridis](#) to turn it into a palette function compatible with [discrete_scale](#).

Usage

```
viridis_pal(alpha = 1, begin = 0, end = 1, direction = 1, option = "D")
```

Arguments

| | |
|-----------|--|
| alpha | The alpha transparency, a number in [0,1], see argument alpha in hsv . |
| begin | The (corrected) hue in [0,1] at which the color map begins. |
| end | The (corrected) hue in [0,1] at which the color map ends. |
| direction | Sets the order of colors in the scale. If 1, the default, colors are ordered from darkest to lightest. If -1, the order of colors is reversed. |
| option | A character string indicating the color map option to use. Eight options are available: |

- "magma" (or "A")
- "inferno" (or "B")
- "plasma" (or "C")
- "viridis" (or "D")
- "cividis" (or "E")
- "rocket" (or "F")
- "mako" (or "G")
- "turbo" (or "H")

Details

See [viridis](#) and [viridis.map](#) for more information on the color palettes.

Author(s)

Bob Rudis: <bob@rud.is> / [@hrbrmstr](#)

Simon Garnier: <garnier@njit.edu> / [@sjmgarnier](#)

Examples

```
library(scales)
show_col(viridis_pal()(12))
```

Index

* datasets

unemp, 4

discrete_scale, 2, 3, 5

ggplot2, 2

hsv, 3, 5

scale_color_gradientn, 2, 3

scale_color_viridis
(scale_fill_viridis), 2

scale_colour_viridis
(scale_fill_viridis), 2

scale_fill_gradientn, 2, 3

scale_fill_viridis, 2

unemp, 4

viridis, 2, 5, 6

viridis.map, 2, 6

viridis_pal, 3, 5